

Notified body No. 1397

CERTIFICATE OF CONSTANCY OF PERFORMANCE**1397-CPR-0478**

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011, this certificate applies to the construction product.

Construction product: **steel fibres**Parameters (type): **Hendix prime 60/32:**

- **group I, length 32 mm, diameter 0,6 mm;**
- **shape - deformed (with hooked ends) without coating;**
- **tensile strength: 1450 N/mm²;**
- **consistence with 15 kg/m³ fibres - Vebe time 9 s;**
- **effect on strength of concrete - 15 kg/m³ to obtain 1,5 N/mm² at CMOD=0,5 mm and 1,0 N/mm² at CMOD=3,5 mm**

Intended use: **for structural use in concrete, mortar and grout**

Manufacturer: **JSC "Severstal-metiz",**
50-letiya Oktyabrya str. 1/33, 162610, Cherepovets, Vologda region, Russia
company code 1043500252058

Manufacturing plant:
JSC "Severstal-metiz",
50-letiya Oktyabrya str. 1/33, 162610, Cherepovets, Vologda region, Russia

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 14889-1:2006*

under system 1 for the performances set out in this certificate are applied and that the construction product fulfils all the prescribed requirements for these performances.

This certificate was first issued on **2015-08-06** and will remain valid as long as the mentioned harmonised standard or manufacturing conditions in the plant or factory production control are not modified significantly. Information about validity of this certificate is published at www.spsc.lt

Director



Robertas Encius

Vilnius, 2015-08-06